

SCULPTING
MEMORIES IN
WHITE TILES.



SUPREMA
Simplicity in Tiles

Volume-1

| DESIGN INSPIRATION



MODERN
MINIMALISM
MEETS
TIMELESS
ELEGANCE IN
SATAVARIO TILES.




DESIGN
INSPIRATION

The tiles design is a stunning homage to the beauty of nature, each pattern And texture intricately crafted to evoke the organic elements found in the Natural world. With hues reminiscent of earthy tones, serene blues, and Vibrant greens, the tiles transport the observer to tranquil forests, tranquil Beaches, or lush gardens. From the gentle swirls mimicking the flow of water To the intricate leaf motifs, every detail reflects the harmony and balance Found in nature's creations. Whether its indoor spaces or outdoor spaces, it Creating a serene and inviting ambiance that celebrates the timeless Elegance of the natural world.

SEAMLESS TEXTURE,
UNMATCHED STRENGTH



I PRODUCT PROPERTIES



I COMPACTNESS

Porcelain stoneware has Compact, non-porous Surfaces. This characteristic Makes the material highly Safe, hygienic and ideal for Food contact.

I STRENGTH

Porcelain stoneware has Excellent strength and surface Hardness make the surfaces Resistant to wear, scratches And almost all physical and Mechanical stresses.

I STABILITY

The chemical-physical Stability of porcelain Stoneware makes it a Material resistant to Chemicals, not prone to Color changes.

I HYGENIC


Porcelain stoneware are Nsf-certified for direct food Contact and are therefore Ideal for safe use in both Domestic and restaurant Settings.

I TECH-MARBLE

Thanks to advanced production Technology, it allow the reproduction Of any colour, texture, pattern or Textural effect guaranteeing Extraordinary aesthetic versatility.



**FEEL THE DELIGHT
OF GRACIOUS SPACES
WITH THE VIVID AND
NUMEROUS SURFACES**



EVERY SPACE TELLS A STORY,
LET TILES BE YOUR NARRATOR.

It's A Clickable Catalogue




Tap To Explore Each Product

Tap on particular product to Explore full size view.




Tap To Back To Index Page

Again tap on the Tiles Page To return to the Index page



TILES IN FRAME :
1801


DIMENSION : 600X1200MM | 60X120CM
SURFACE : GLOSSY



COMPOSITION : 5 PCS.

 [BACK TO INDEX](#)

GLOSSY SURFACE



Human Figure Height 1.80

TILES ADVANTAGES


- | | | | | | |
|---|----------------------------------|---|---|----------------------------|---|
| 1 | Easy To Clean |  | 5 | Frost Resistant |  |
| 2 | Hygienic / Antibacterial Surface |  | 6 | Scratch Resistant |  |
| 3 | Water Resistant |  | 7 | Chemical & Stain Resistant |  |
| 4 | Impact Resistant |  | 8 | Fire Resistant |  |



TILES IN FRAME :
1802

DIMENSION : 600X1200MM | 60X120CM

SURFACE : GLOSSY



COMPOSITION : 4 PCS.

 BACK TO INDEX

GLOSSY SURFACE




Human Figure Height 1.80

TILES ADVANTAGES

- | | | | | | |
|---|----------------------------------|---|---|----------------------------|---|
| 1 | Easy To Clean |  | 5 | Frost Resistant |  |
| 2 | Hygienic / Antibacterial Surface |  | 6 | Scratch Resistant |  |
| 3 | Water Resistant |  | 7 | Chemical & Stain Resistant |  |
| 4 | Impact Resistant |  | 8 | Fire Resistant |  |


TILES IN FRAME :
1803

DIMENSION : **600X1200MM | 60X120CM**
SURFACE : **GLOSSY**



COMPOSITION : **4 PCS.**

 [BACK TO INDEX](#)



Human Figure Height 1.80

- 1** Easy To Clean 
- 2** Hygienic / Antibacterial Surface 
- 3** Water Resistant 
- 4** Impact Resistant 

- 5** Frost Resistant 
- 6** Scratch Resistant 
- 7** Chemical & Stain Resistant 
- 8** Fire Resistant 

TILES ADVANTAGES

GLOSSY SURFACE





TILES IN FRAME :
1804

DIMENSION : 600X1200MM | 60X120CM


SURFACE : GLOSSY



GLOSSY SURFACE

COMPOSITION : 6 PCS.

 BACK TO INDEX



Human Figure Height 1.80

TILES ADVANTAGES


- | | | | | | |
|---|----------------------------------|---|---|----------------------------|---|
| 1 | Easy To Clean |  | 5 | Frost Resistant |  |
| 2 | Hygienic / Antibacterial Surface |  | 6 | Scratch Resistant |  |
| 3 | Water Resistant |  | 7 | Chemical & Stain Resistant |  |
| 4 | Impact Resistant |  | 8 | Fire Resistant |  |



TILES IN FRAME :
1805

DIMENSION : 600X1200MM | 60X120CM

SURFACE : GLOSSY



COMPOSITION : 3 PCS.

 [BACK TO INDEX](#)



Human Figure Height 1.80

- 1 Easy To Clean 
- 2 Hygienic / Antibacterial Surface 
- 3 Water Resistant 
- 4 Impact Resistant 

- 5 Frost Resistant 
- 6 Scratch Resistant 
- 7 Chemical & Stain Resistant 
- 8 Fire Resistant 

TILES ADVANTAGES

GLOSSY SURFACE






SUPREMA
Simplicity in Tiles

TILES IN FRAME :
1806

DIMENSION : 600X1200MM | 60X120CM


SURFACE : GLOSSY



COMPOSITION : 5 PCS.

 BACK TO INDEX

GLOSSY SURFACE



Human Figure Height 1.80

TILES ADVANTAGES

- | | | | | | |
|---|----------------------------------|---|---|----------------------------|---|
| 1 | Easy To Clean |  | 5 | Frost Resistant |  |
| 2 | Hygienic / Antibacterial Surface |  | 6 | Scratch Resistant |  |
| 3 | Water Resistant |  | 7 | Chemical & Stain Resistant |  |
| 4 | Impact Resistant |  | 8 | Fire Resistant |  |



SUPREMA
Simplicity in Tiles

TILES IN FRAME :
1807


DIMENSION : 600X1200MM | 60X120CM

SURFACE : GLOSSY



COMPOSITION : 4 PCS.

 BACK TO INDEX



Human Figure Height 1.80

TILES ADVANTAGES

- | | | | | | |
|---|----------------------------------|---|---|----------------------------|---|
| 1 | Easy To Clean |  | 5 | Frost Resistant |  |
| 2 | Hygienic / Antibacterial Surface |  | 6 | Scratch Resistant |  |
| 3 | Water Resistant |  | 7 | Chemical & Stain Resistant |  |
| 4 | Impact Resistant |  | 8 | Fire Resistant |  |

GLOSSY SURFACE





TILES IN FRAME :
1809

DIMENSION : 600X1200MM | 60X120CM


SURFACE : GLOSSY



COMPOSITION : 4 PCS.

 BACK TO INDEX

GLOSSY SURFACE



Human Figure Height 1.80

TILES ADVANTAGES

- | | | | | | |
|---|----------------------------------|---|---|----------------------------|---|
| 1 | Easy To Clean |  | 5 | Frost Resistant |  |
| 2 | Hygienic / Antibacterial Surface |  | 6 | Scratch Resistant |  |
| 3 | Water Resistant |  | 7 | Chemical & Stain Resistant |  |
| 4 | Impact Resistant |  | 8 | Fire Resistant |  |



TILES IN FRAME :
1810

DIMENSION : 600X1200MM | 60X120CM
SURFACE : GLOSSY



GLOSSY SURFACE

COMPOSITION : 6 PCS.

 [BACK TO INDEX](#)



Human Figure Height 1.80


TILES ADVANTAGES

- | | | | | | |
|---|----------------------------------|---|---|----------------------------|---|
| 1 | Easy To Clean |  | 5 | Frost Resistant |  |
| 2 | Hygienic / Antibacterial Surface |  | 6 | Scratch Resistant |  |
| 3 | Water Resistant |  | 7 | Chemical & Stain Resistant |  |
| 4 | Impact Resistant |  | 8 | Fire Resistant |  |



TILES IN FRAME :
1811

DIMENSION : 600X1200MM | 60X120CM
SURFACE : GLOSSY



COMPOSITION : 6 PCS.

 [BACK TO INDEX](#)



Human Figure Height 1.80

-  Easy To Clean 
-  Hygienic / Antibacterial Surface 
-  Water Resistant 
-  Impact Resistant 

-  Frost Resistant 
-  Scratch Resistant 
-  Chemical & Stain Resistant 
-  Fire Resistant 


TILES ADVANTAGES

GLOSSY SURFACE





TILES IN FRAME :
1812
DIMENSION : 600X1200MM | 60X120CM
SURFACE : GLOSSY



COMPOSITION : 4 PCS.

 [BACK TO INDEX](#)



Human Figure Height 1.80

- 1 Easy To Clean 
- 2 Hygienic / Antibacterial Surface 
- 3 Water Resistant 
- 4 Impact Resistant 

- 5 Frost Resistant 
- 6 Scratch Resistant 
- 7 Chemical & Stain Resistant 
- 8 Fire Resistant 

TILES ADVANTAGES

GLOSSY SURFACE



SUPREMA
Simplicity in Tiles

TILES IN FRAME :
1813

DIMENSION : 600X1200MM | 60X120CM


SURFACE : GLOSSY



GLOSSY SURFACE

COMPOSITION : 6 PCS.

 BACK TO INDEX



Human Figure Height 1.80


TILES ADVANTAGES

- | | | | | | |
|---|----------------------------------|---|---|----------------------------|---|
| 1 | Easy To Clean |  | 5 | Frost Resistant |  |
| 2 | Hygienic / Antibacterial Surface |  | 6 | Scratch Resistant |  |
| 3 | Water Resistant |  | 7 | Chemical & Stain Resistant |  |
| 4 | Impact Resistant |  | 8 | Fire Resistant |  |






TILES IN FRAME :
1814
DIMENSION : 600X1200MM | 60X120CM
SURFACE : GLOSSY



GLOSSY SURFACE

COMPOSITION : 6 PCS.


 [BACK TO INDEX](#)



Human Figure Height 1.80


TILES ADVANTAGES

- | | | | | | |
|---|----------------------------------|---|---|----------------------------|---|
| 1 | Easy To Clean |  | 5 | Frost Resistant |  |
| 2 | Hygienic / Antibacterial Surface |  | 6 | Scratch Resistant |  |
| 3 | Water Resistant |  | 7 | Chemical & Stain Resistant |  |
| 4 | Impact Resistant |  | 8 | Fire Resistant |  |



TILES IN FRAME :
1815

DIMENSION : 600X1200MM | 60X120CM
SURFACE : GLOSSY



COMPOSITION : 4 PCS.

 [BACK TO INDEX](#)



Human Figure Height 1.80

-  Easy To Clean 
-  Hygienic / Antibacterial Surface 
-  Water Resistant 
-  Impact Resistant 

-  Frost Resistant 
-  Scratch Resistant 
-  Chemical & Stain Resistant 
-  Fire Resistant 

TILES ADVANTAGES

GLOSSY SURFACE





TILES IN FRAME :
1816


DIMENSION : 600X1200MM | 60X120CM

SURFACE : GLOSSY



COMPOSITION : 4 PCS.

 [BACK TO INDEX](#)



Human Figure Height 1.80

- 1 Easy To Clean 
- 2 Hygienic / Antibacterial Surface 
- 3 Water Resistant 
- 4 Impact Resistant 

- 5 Frost Resistant 
- 6 Scratch Resistant 
- 7 Chemical & Stain Resistant 
- 8 Fire Resistant 

TILES ADVANTAGES

GLOSSY SURFACE




TILES IN FRAME :
1817

DIMENSION : 600X1200MM | 60X120CM
SURFACE : GLOSSY



COMPOSITION : 4 PCS.

 BACK TO INDEX




Human Figure Height 1.80

- 1 Easy To Clean 
- 2 Hygienic / Antibacterial Surface 
- 3 Water Resistant 
- 4 Impact Resistant 

- 5 Frost Resistant 
- 6 Scratch Resistant 
- 7 Chemical & Stain Resistant 
- 8 Fire Resistant 

TILES ADVANTAGES

GLOSSY SURFACE






SUPREMA
Simplicity in Tiles

TILES IN FRAME :
1818

DIMENSION : 600X1200MM | 60X120CM


SURFACE : GLOSSY



COMPOSITION : 4 PCS.

 [BACK TO INDEX](#)


GLOSSY SURFACE



Human Figure Height 1.80

TILES ADVANTAGES

- | | | | | | |
|---|----------------------------------|---|---|----------------------------|---|
| 1 | Easy To Clean |  | 5 | Frost Resistant |  |
| 2 | Hygienic / Antibacterial Surface |  | 6 | Scratch Resistant |  |
| 3 | Water Resistant |  | 7 | Chemical & Stain Resistant |  |
| 4 | Impact Resistant |  | 8 | Fire Resistant |  |



TILES IN FRAME :
1819

DIMENSION : 600X1200MM | 60X120CM

SURFACE : **GLOSSY**



COMPOSITION : 4 PCS.

 [BACK TO INDEX](#)



Human Figure Height 1.80

- 1** Easy To Clean 
- 2** Hygienic / Antibacterial Surface 
- 3** Water Resistant 
- 4** Impact Resistant 

- 5** Frost Resistant 
- 6** Scratch Resistant 
- 7** Chemical & Stain Resistant 
- 8** Fire Resistant 

TILES ADVANTAGES

GLOSSY SURFACE





TILES IN FRAME :
1820


DIMENSION : 600X1200MM | 60X120CM

SURFACE : **GLOSSY**



COMPOSITION : 4 PCS.

 [BACK TO INDEX](#)



Human Figure Height 1.80

- 1** Easy To Clean 
- 2** Hygienic / Antibacterial Surface 
- 3** Water Resistant 
- 4** Impact Resistant 

- 5** Frost Resistant 
- 6** Scratch Resistant 
- 7** Chemical & Stain Resistant 
- 8** Fire Resistant 

TILES ADVANTAGES

GLOSSY SURFACE



TILES IN FRAME :
1823
DIMENSION : 600X1200MM | 60X120CM
SURFACE : GLOSSY



COMPOSITION : 4 PCS.

 [BACK TO INDEX](#)



Human Figure Height 1.80

-  1 Easy To Clean
-  2 Hygienic / Antibacterial Surface
-  3 Water Resistant
-  4 Impact Resistant

-  5 Frost Resistant
-  6 Scratch Resistant
-  7 Chemical & Stain Resistant
-  8 Fire Resistant

TILES ADVANTAGES

GLOSSY SURFACE






TILES IN FRAME :
1824

DIMENSION : 600X1200MM | 60X120CM

SURFACE : GLOSSY



GLOSSY SURFACE

COMPOSITION : 4 PCS.

 [BACK TO INDEX](#)




Human Figure Height 1.80

TILES ADVANTAGES


- | | | | | | |
|---|----------------------------------|---|---|----------------------------|---|
| 1 | Easy To Clean |  | 5 | Frost Resistant |  |
| 2 | Hygienic / Antibacterial Surface |  | 6 | Scratch Resistant |  |
| 3 | Water Resistant |  | 7 | Chemical & Stain Resistant |  |
| 4 | Impact Resistant |  | 8 | Fire Resistant |  |

TILES IN FRAME :
1825
DIMENSION : 600X1200MM | 60X120CM
SURFACE : GLOSSY



COMPOSITION : 3 PCS.

 [BACK TO INDEX](#)



Human Figure Height 1.80

- 1** Easy To Clean 
- 2** Hygienic / Antibacterial Surface 
- 3** Water Resistant 
- 4** Impact Resistant 

- 5** Frost Resistant 
- 6** Scratch Resistant 
- 7** Chemical & Stain Resistant 
- 8** Fire Resistant 

TILES ADVANTAGES

GLOSSY SURFACE





TILES IN FRAME :
1826

DIMENSION : 600X1200MM | 60X120CM

SURFACE : GLOSSY



COMPOSITION : 5 PCS.

 BACK TO INDEX

GLOSSY SURFACE



Human Figure Height 1.80

TILES ADVANTAGES

- | | | | | | |
|---|----------------------------------|---|---|----------------------------|---|
| 1 | Easy To Clean |  | 5 | Frost Resistant |  |
| 2 | Hygienic / Antibacterial Surface |  | 6 | Scratch Resistant |  |
| 3 | Water Resistant |  | 7 | Chemical & Stain Resistant |  |
| 4 | Impact Resistant |  | 8 | Fire Resistant |  |



TILES IN FRAME :
1827


DIMENSION : 600X1200MM | 60X120CM
SURFACE : GLOSSY



COMPOSITION : 6 PCS.

 [BACK TO INDEX](#)

GLOSSY SURFACE



Human Figure Height 1.80

TILES ADVANTAGES

- | | | | | | |
|---|----------------------------------|---|---|----------------------------|---|
| 1 | Easy To Clean |  | 5 | Frost Resistant |  |
| 2 | Hygienic / Antibacterial Surface |  | 6 | Scratch Resistant |  |
| 3 | Water Resistant |  | 7 | Chemical & Stain Resistant |  |
| 4 | Impact Resistant |  | 8 | Fire Resistant |  |






TILES IN FRAME :
1828

DIMENSION : 600X1200MM | 60X120CM


SURFACE : GLOSSY



GLOSSY SURFACE

COMPOSITION : 4 PCS.

 BACK TO INDEX



Human Figure Height 1.80

TILES ADVANTAGES

- | | | | | | |
|---|----------------------------------|---|---|----------------------------|---|
| 1 | Easy To Clean |  | 5 | Frost Resistant |  |
| 2 | Hygienic / Antibacterial Surface |  | 6 | Scratch Resistant |  |
| 3 | Water Resistant |  | 7 | Chemical & Stain Resistant |  |
| 4 | Impact Resistant |  | 8 | Fire Resistant |  |



TILES IN FRAME :
1829

DIMENSION : 600X1200MM | 60X120CM


SURFACE : GLOSSY



COMPOSITION : 4 PCS.

 BACK TO INDEX

GLOSSY SURFACE



Human Figure Height 1.80

TILES ADVANTAGES

- | | | | | | |
|---|----------------------------------|---|---|----------------------------|---|
| 1 | Easy To Clean |  | 5 | Frost Resistant |  |
| 2 | Hygienic / Antibacterial Surface |  | 6 | Scratch Resistant |  |
| 3 | Water Resistant |  | 7 | Chemical & Stain Resistant |  |
| 4 | Impact Resistant |  | 8 | Fire Resistant |  |



TILES IN FRAME :
1830

DIMENSION : 600X1200MM | 60X120CM

SURFACE : GLOSSY



COMPOSITION : 4 PCS.

 [BACK TO INDEX](#)



Human Figure Height 1.80

- 1 Easy To Clean 
- 2 Hygienic / Antibacterial Surface 
- 3 Water Resistant 
- 4 Impact Resistant 

- 5 Frost Resistant 
- 6 Scratch Resistant 
- 7 Chemical & Stain Resistant 
- 8 Fire Resistant 


TILES ADVANTAGES

GLOSSY SURFACE



TILES IN FRAME :
1831

DIMENSION : 600X1200MM | 60X120CM
SURFACE : GLOSSY



COMPOSITION : 4 PCS.

 [BACK TO INDEX](#)

GLOSSY SURFACE



Human Figure Height 1.80

TILES ADVANTAGES

- | | | | | | |
|---|----------------------------------|---|---|----------------------------|---|
| 1 | Easy To Clean |  | 5 | Frost Resistant |  |
| 2 | Hygienic / Antibacterial Surface |  | 6 | Scratch Resistant |  |
| 3 | Water Resistant |  | 7 | Chemical & Stain Resistant |  |
| 4 | Impact Resistant |  | 8 | Fire Resistant |  |





TILES IN FRAME :
1832

DIMENSION : 600X1200MM | 60X120CM

SURFACE : GLOSSY



COMPOSITION : 4 PCS.

 BACK TO INDEX

GLOSSY SURFACE



Human Figure Height 1.80

TILES ADVANTAGES

- | | | | | | |
|---|----------------------------------|---|---|----------------------------|---|
| 1 | Easy To Clean |  | 5 | Frost Resistant |  |
| 2 | Hygienic / Antibacterial Surface |  | 6 | Scratch Resistant |  |
| 3 | Water Resistant |  | 7 | Chemical & Stain Resistant |  |
| 4 | Impact Resistant |  | 8 | Fire Resistant |  |

TILES IN FRAME :
1833

DIMENSION : 600X1200MM | 60X120CM


SURFACE : GLOSSY



COMPOSITION : 4 PCS.

 [BACK TO INDEX](#)

GLOSSY SURFACE



Human Figure Height 1.80


TILES ADVANTAGES

- | | | | | | |
|---|----------------------------------|---|---|----------------------------|---|
| 1 | Easy To Clean |  | 5 | Frost Resistant |  |
| 2 | Hygienic / Antibacterial Surface |  | 6 | Scratch Resistant |  |
| 3 | Water Resistant |  | 7 | Chemical & Stain Resistant |  |
| 4 | Impact Resistant |  | 8 | Fire Resistant |  |




TILES IN FRAME :
1834

DIMENSION : 600X1200MM | 60X120CM
SURFACE : GLOSSY



COMPOSITION : 4 PCS.

 [BACK TO INDEX](#)



Human Figure Height 1.80

GLOSSY SURFACE

TILES ADVANTAGES

- | | | | | | |
|---|----------------------------------|---|---|----------------------------|---|
| 1 | Easy To Clean |  | 5 | Frost Resistant |  |
| 2 | Hygienic / Antibacterial Surface |  | 6 | Scratch Resistant |  |
| 3 | Water Resistant |  | 7 | Chemical & Stain Resistant |  |
| 4 | Impact Resistant |  | 8 | Fire Resistant |  |



TILES IN FRAME :
1835


DIMENSION : 600X1200MM | 60X120CM

SURFACE : GLOSSY



COMPOSITION : 4 PCS.

 [BACK TO INDEX](#)



Human Figure Height 1.80

- 1 Easy To Clean 
- 2 Hygienic / Antibacterial Surface 
- 3 Water Resistant 
- 4 Impact Resistant 

- 5 Frost Resistant 
- 6 Scratch Resistant 
- 7 Chemical & Stain Resistant 
- 8 Fire Resistant 

TILES ADVANTAGES

GLOSSY SURFACE





TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	MEAN VALUE	TEST METHOD
Regulatory Properties			
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in thickness	± 5.00 % (±0.50mm)	± 4.00 %	ISO 10545-2
Straightness in side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10 %	ISO 10545-2
Surface flatness central curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness warpage	± 0.40 % (±1.80mm)	± 0.10 %	ISO 10545-2
Surface quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(For Plain Color)	ΔE <1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
Glossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin/Posh)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
Structural Properties			
Water absorption	0.50 % ≤ Ev ≤ 3.00 %	0.060 % ≤ Ev ≤ 3.00 %	ISO 10545-3
Bulk density	as per mfg.	> 2.28 gm/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 30.0 N/mm ²	Min. 35.0 N/mm ²	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness	as per mfg.	Polished Min 4* / Satin,Posh & Matt Min 6	BS EN 15771
Surface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & Posh Min. Class 3, & Matt Min. Class 4	ISO 10545-7
Deep abrasion resistance	Max. 175mm ³	Max. 132mm ³	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance (COF-WET PENDULAM)##	as per mfg.	Glossy P0(<12),Satin, Posh ≥P1(12-24) Matt ≥P2(25-34)	BS 7976-2
Slip resistance - (Satin / Matt (DCOF) (R value)##	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

PACKING DETAILS

PRODUCT	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	WEIGHT
GVT-PGVT	600x 1200mm	9mm	2 pcs.	1.44 sq. mtr.	27 KG (APPROX)

THANK YOU