


THE ART OF
SURFACE DESIGN.



INKY Series

| DESIGN INSPIRATION




ELEVATE
YOUR SPACE
WITH INKY
ELEGANCE:
WELCOME TO
INKY COLLECTION



DESIGN
INSPIRATION

The tiles design is a stunning homage to the beauty of nature, each pattern And texture intricately crafted to evoke the organic elements found in the Natural world. With hues reminiscent of earthy tones, serene blues, and Vibrant greens, the tiles transport the observer to tranquil forests, tranquil Beaches, or lush gardens. From the gentle swirls mimicking the flow of water To the intricate leaf motifs, every detail reflects the harmony and balance Found in nature's creations. Whether its indoor spaces or outdoor spaces, it Creating a serene and inviting ambiance that celebrates the timeless Elegance of the natural world.



CREATE DEPTH AND DRAMA
WITH THE SOPHISTICATED APPEAL OF INKY TILES

I PRODUCT PROPERTIES



I COMPACTNESS

Porcelain stoneware has Compact, non-porous Surfaces. This characteristic Makes the material highly Safe, hygienic and ideal for Food contact.

I HYGENIC

Porcelain stoneware are Nsf-certified for direct food Contact and are therefore Ideal for safe use in both Domestic and restaurant Settings.

I STRENGTH


Porcelain stoneware has Excellent strength and surface Hardness make the surfaces Resistant to wear, scratches And almost all physical and Mechanical stresses.


I STABILITY

The chemical-physical Stability of porcelain Stoneware makes it a Material resistant to Chemicals, not prone to Color changes.

I TECH-MARBLE

Thanks to advanced production Technology, skype tiles are allow The reproduction of any colour, Texture, pattern or textural effect Guaranteeing extraordinary Aesthetic versatility.






EVERY SPACE TELLS A STORY,
LET TILES BE YOUR NARRATOR.




901




914




915



916



917




918




919




902




903




904



905



906




907




920




921




922



923




924




925




908




909



910



911




912



913



926




927




928



929



930



931



Design Name

901

DIMENSION :
600x1200MM | 60x120CM

SURFACE
GLOSSY SURFACE

COMPOSITION
4 RANDOMS







Design Name

902

DIMENSION :
600x1200MM | 60x120CM

SURFACE
GLOSSY SURFACE

COMPOSITION
4 RANDOMS






Design Name

903

DIMENSION :
600x1200MM | 60x120CM

SURFACE
GLOSSY SURFACE

COMPOSITION
4 RANDOMS







Design Name

904

DIMENSION :
600x1200MM | 60x120CM

SURFACE
GLOSSY SURFACE

COMPOSITION
4 RANDOMS






Design Name

905

DIMENSION :
600x1200MM | 60x120CM

SURFACE
GLOSSY SURFACE

COMPOSITION
4 RANDOMS







Design Name

906

DIMENSION :
600x1200MM | 60x120CM

SURFACE
GLOSSY SURFACE

COMPOSITION
4 RANDOMS







Design Name

907

DIMENSION :
600x1200MM | 60x120CM

SURFACE
GLOSSY SURFACE

COMPOSITION
4 RANDOMS







Design Name

908

DIMENSION :
600x1200MM | 60x120CM

SURFACE
GLOSSY SURFACE

COMPOSITION
4 RANDOMS







Design Name

909

DIMENSION :
600x1200MM | 60x120CM

SURFACE
GLOSSY SURFACE

COMPOSITION
3 RANDOMS







Design Name

910

DIMENSION :
600x1200MM | 60x120CM

SURFACE
GLOSSY SURFACE

COMPOSITION
4 RANDOMS







Design Name

911

DIMENSION :
600x1200MM | 60x120CM

SURFACE
GLOSSY SURFACE

COMPOSITION
4 RANDOMS







Design Name

912

DIMENSION :
600x1200MM | 60x120CM

SURFACE
GLOSSY SURFACE

COMPOSITION
4 RANDOMS






Design Name

913

DIMENSION :
600x1200MM | 60x120CM

SURFACE
GLOSSY SURFACE

COMPOSITION
4 RANDOMS







Design Name

914

DIMENSION :
600x1200MM | 60x120CM

SURFACE
GLOSSY SURFACE

COMPOSITION
4 RANDOMS







Design Name

915

DIMENSION :
600x1200MM | 60x120CM

SURFACE
GLOSSY SURFACE

COMPOSITION
4 RANDOMS







Design Name

916

DIMENSION :
600x1200MM | 60x120CM

SURFACE
GLOSSY SURFACE

COMPOSITION
4 RANDOMS







Design Name

917

DIMENSION :
600x1200MM | 60x120CM

SURFACE
GLOSSY SURFACE

COMPOSITION
4 RANDOMS







Design Name

918

DIMENSION :
600x1200MM | 60x120CM

SURFACE
GLOSSY SURFACE

COMPOSITION
4 RANDOMS





Design Name

919

DIMENSION :
600x1200MM | 60x120CM

SURFACE
GLOSSY SURFACE

COMPOSITION
3 RANDOMS







Design Name

920

DIMENSION :
600x1200MM | 60x120CM

SURFACE
GLOSSY SURFACE

COMPOSITION
2 RANDOMS







Design Name

921

DIMENSION :
600x1200MM | 60x120CM

SURFACE
GLOSSY SURFACE

COMPOSITION
2 RANDOMS





ELEGANT CLOSETS
Home Decor



Design Name

922

DIMENSION :
600x1200MM | 60x120CM

SURFACE
GLOSSY SURFACE

COMPOSITION
2 RANDOMS







Design Name

923

DIMENSION :
600x1200MM | 60x120CM

SURFACE
GLOSSY SURFACE

COMPOSITION
4 RANDOMS







Design Name

924

DIMENSION :
600x1200MM | 60x120CM

SURFACE
GLOSSY SURFACE

COMPOSITION
2 RANDOMS







Design Name

925

DIMENSION :
600x1200MM | 60x120CM

SURFACE
GLOSSY SURFACE

COMPOSITION
4 RANDOMS







Design Name

926

DIMENSION :
600x1200MM | 60x120CM

SURFACE
GLOSSY SURFACE

COMPOSITION
4 RANDOMS







Design Name

927

DIMENSION :
600x1200MM | 60x120CM

SURFACE
GLOSSY SURFACE

COMPOSITION
4 RANDOMS






Design Name

928

DIMENSION :
600x1200MM | 60x120CM

SURFACE
GLOSSY SURFACE

COMPOSITION
4 RANDOMS







Design Name

929

DIMENSION :
600x1200MM | 60x120CM

SURFACE
GLOSSY SURFACE

COMPOSITION
4 RANDOMS





DEPARTURES				
TIME	DESTINATION	FLIGHT	GATE	REMARKS
12:39	BERLIN	BA 903	31	CANCELLED
12:57	SYDNEY	QF5723	27	CANCELLED
13:08	TORONTO	AC5984	22	CANCELLED
13:21	TOKYO	JL 608	41	CANCELLED
13:37	HONG KONG	CX5471	29	CANCELLED
13:48	MADRID	IB3941	30	CANCELLED
14:19	LONDON	LH5021	28	CANCELLED
14:35	NEW YORK	AA 997	11	CANCELLED
14:54	PARIS	AF5870	23	CANCELLED
15:10	ROME	AZ5324	43	CANCELLED


Design Name

930

DIMENSION :
600x1200MM | 60x120CM

SURFACE
GLOSSY SURFACE

COMPOSITION
4 RANDOMS







Design Name

931

DIMENSION :
600x1200MM | 60x120CM

SURFACE
GLOSSY SURFACE

COMPOSITION
4 RANDOMS





TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO 13006:2018/ EN14411 Gr.BIa	MEAN VALUE	TEST METHOD
Regulatory Properties			
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in thickness	± 5.00 % (±0.50mm)	± 4.00 %	ISO 10545-2
Straightness in side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10 %	ISO 10545-2
Surface flatness central curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness warpage	± 0.40 % (±1.80mm)	± 0.10 %	ISO 10545-2
Surface quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(For Plain Color)	ΔE <1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
Glossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin/Posh)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
Structural Properties			
Water absorption	0.50 % ≤ Ev ≤ 3.00 %	0.060 % ≤ Ev ≤ 3.00 %	ISO 10545-3
Bulk density	as per mfg.	> 2.28 gm/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 30.0 N/mm²	Min. 35.0 N/mm²	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness	as per mfg.	Polished Min 4* / Satin,Posh & Matt Min 6	BS EN 15771
Surface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & Posh Min. Class 3, & Matt Min. Class 4	ISO 10545-7
Deep abrasion resistance	Max. 175mm ³	Max. 132mm ³	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance (COF-WET PENDULAM)##	as per mfg.	Glossy P0(<12),Satin, Posh ≥P1(12-24) Matt ≥P2(25-34)	BS 7976-2
Slip resistance - (Satin / Matt (DCOF) (R value)##	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

PACKING DETAILS

PRODUCT	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	WEIGHT
GVT-PGVT	600x 1200mm	9mm	2 pcs.	1.44 sq. mtr.	27 KG (APPROX)

Thank You